

# Acellular Placental Tissue Particulate

**petil**<sup>TM</sup> is a room temperature stable allograft derived from human placental tissue collected from consenting donors. **petil**<sup>TM</sup> is processed, stabilized, and particulated using proprietary process technologies, after which it is loaded into a sterile syringe and packaged in a double pouch packaging system prior to being sterilized using low dose gamma irradiation.

Preparation and quality assurance methodologies applicable to this petilTM allograft product were employed at a FDA registered tissue establishment accredited by the American Association of Tissue Banks (AATB), and comply with federal requirements for Human Cellular and Tissue Based Products (HCT/P) found in 21 CFR 21 Part 1270 and 1271, all applicable state requirements, and AATB Standards.

# Donated Human Tissue INSTRUCTIONS FOR USE



# PROCESSED BY:



# Seed Biotech, Inc. 3116 Commerce Street Suite A

Dallas, TX 75226 www.seedbiotech.com

Customer Service 1.214.741.6314 FEI: 3000779542

#### ALLOGRAFT PROCESSING

Technical Quality Assurance standards are rigorously maintained by Seed Biotech, Inc. This allograft was processed, stabilized, configured and packaged using aseptic techniques in ultra-clean controlled micro-environments after which it is was terminally sterilized via a ISO11137 validated low dose gamma irradiation method (17.5-21kGy). Supplemental lot-to-lot validated sterility testing is performed to achieve maximum confidence.

Seed Biotech, Inc. allografts are prepared using proprietary processing and stabilization technologies designed to remove unwanted material, such as cells, intracellular genetic material, and antigens, while preserving the native extracellular matrix (ECM) and non-cellular constituents of the tissue material, such as the basement membrane, fibrous proteins, non-fibrous proteins, glycosaminoglycans and proteoglycans. Clinically relevant analyses of native and processed material from single donor tissue material lots were performed as a part of the verification and validation activities conducted for the allografts provided by and processes used by Seed Biotech, Inc. DNA % reduction, residual DNA quantification, immunohistochemical detection of critical basement membrane and ECM constituents & histological assessment of tissue material organization and microarchitecture were some of the evaluations conducted to assess licensed proprietary process technologies prior to Seed Biotech, Inc. implementation and use for preparation of offered allografts. In addition to initial studies conducted, Seed Biotech, Inc. employs lot to lot bioanalytical testing methodologies to offer industry innovative quality assurance of every processed tissue material lot which requires satisfaction of end process acceptance criteria and material specifications of clinical relevance. End process criteria is used as a final determination and verification that the process activities conducted for any and all donated tissue material lots resulted in sufficient reduction/removal of unwanted constituents. In addition to characterization and testing related to ensuring decellurization process, performance of GLP biocompatibility and toxicity preclinical testing according to ISO10993 including pyrogenicity, cytotoxicity, genotoxicity, sensitivity, irritation, systemic toxicity, endotoxicity, and hemolysis testing; performance of shelf life and distribution packaging validations and conduct in vivo performance evaluations demonstrated all products safety and suitability for clinical use.

#### ALLOGRAFT GENERAL USE

This allograft is intended for homologous use and to be used to replace or supplement damaged or inadequate integumental tissue. Aseptic technique should be used to open outer pouch and pass sterile inner pouch to sterile field. Sterile technique should be used to open sterile inner pouch and remove allograft.

### DONOR CONSENT, RECOVERY & SCREENING

Seed Biotech, Inc. uses select FDA registered tissue recovery partners for collection of donor tissue intended for transplantation. Subsequent to the conduct of a comprehensive review of the donor of this allograft's informed consent, medical history, risk assessment interview, physical examination, available medical records, collection & transport records, collection microbiology

culture results, and infectious disease test results the medical director of Seed Biotech Inc., a licensed physician, determined that the donor of this allograft tissue satisfies the medical eligibility requirements identified in Seed Biotech, Inc.'s Donor Acceptance Criteria Policy which exceeds requirements established by the Federal Drug Administration and specified in the AATB standards.

Prior to processing, blood specimens collected at the time of tissue recovery from the donor of this allograft tissue were tested for the relevant communicable disease agents found in Table 1 and non-reactive or negative test results were obtained. All serological and microbiological testing was conducted using FDA approved tests. Communicable disease testing was performed by a CLIA certified laboratory registered with the FDA to perform donor testing.

INFECTIOUS DISEASE TESTING		
ACCEPTABLE RESULT		
Negative / Non-Reactive		

# Table 1

In addition to the preclinicinal safety testing, lot to lot bioanalytical testing, donor screeening and testing, and process validation, comprehensive, a Quality Assurance review of processing & packaging records, finished tissue microbiology cultures, and the labeling & gamma irradiation records associated with the donor of this allograft was performed prior to this allograft being released for distribution. The names and addresses of Seed Biotech, Inc.'s tissue recovery partners and clinical testing service providers, the testing and interpretation of all donor screening and infectious disease test results, the list of the documents reviewed as part of this donor's relevant medical records, and the name of the person determining the suitability of this donated human tissue are on file at Seed Biotech, Inc. and are available upon request.

#### ALLOGRAFT STORAGE

Maintain this allograft in a clean, dry environment at room temperature. No refrigeration is necessary. Do not freeze.

See package label for expiration date. It is the responsibility of the tissue dispensing service and/or the end user to maintain this allograft in the appropriate storage conditions prior to transplant.

### **ALLOGRAFT PACKAGING, LABELING & SHIPPING**

This allograft tissue is identified by its own unique serial ID and was packaged in a sterile, single-patient-use inner pouch which was placed in a secondary peel pouch and labeled with the expiration date, serial ID, and allograft tissue size and description.

### ALLOGRAFT USE RECOMMENDATIONS

- This allograft has a packaged product configuration that provides for a. easy rehydration and administration of the acellular placental tissue particulate.
- To preserve sterility, usable product volume, and for convenience, the b. allograft is loaded directly into a luer lock compatible sterile syringe (3ml or 5ml volume) prior to being packaged in a double pouch packaging system. This configuration reduces preparation time, product loss, and risk for contamination during preparation.
- Attach any sterile luer lock needle and draw sterile saline into the syringe to rehydrate the product. Safely remove and properly dispose of the needle prior to rehydration. This allograft is sold by weight, please refer to Table 2 below for the recommended minimum volume of sterile saline to use for rehydration, additional saline may be used to ensure full release of the placental particulate from the syringe cannula. This product is not intended for injection, administration through a needle is not possible due to the particulate configuration.

Weight	Minimum Rehydration Volume
35mg	0.5cc
70mg	1.0cc
105mg	1.5cc
140mg	2.0cc
	35mg 70mg 105mg

Table 2

### WARNINGS/CAUTIONS

Careful donor screening, testing, and processing is performed as a part of the qualification of all tissue donors and preparation of all allografts provided by Seed Biotech, Inc. As with any allograft there are limits of the screening, testing, and processing methods that can be employed, and allograft tissue provided by Seed Biotech, Inc. cannot be guaranteed to be free of all pathogens or unwanted constituents, nor can the risk for disease transmission be eliminated.

Residual germicide is performed on a lot to lot basis however trace amounts of ethanol and/or chlorhexidine gluconate may be present in this product.

This allograft must be stored properly until its time of use. Do not use this allograft if it or its packaging appears to be missing, tampered with, or damaged, and notify Seed Biotech, Inc. Customer Services & Support immediately.

This allograft is intended to be single use on a single patient in a single clinical event. This allograft tissue should be used or discarded promptly after the inner sterile pouch it is provided in has been opened.

Do not subject this allograft to additional sterilization procedures.

This allograft should be used with caution where an active infection is present. If the surgeon determines that the clinical circumstances require use in a site that is contaminated, or infected, appropriate local and/or systemic anti-infective measures should be taken.

# WARRANTY STATEMENT

This allograft is unique and does not constitute a product under liability laws. No implied warranties of merchantability or fitness for a particular purpose are applicable. No implied warranties exist as to defects in biologics which cannot be detected, removed, or prevented by reasonable use of available scientific procedures or techniques. Furthermore, ALL WARRANTIES ARE DISCLAIMED, WHETHER EXPRESSED OR IMPLIED BY OPERATION OF LAW OR OTHERWISE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

### ADVERSE EVENTS

Please immediately report all adverse events to Seed Biotech, Inc.

#### Seed Biotech Customer Service

P: 1.214.741.6314 E: customerservice@seedbiotech.com

# RETURNS

If for any reason the allograft tissue must be returned, a return authorization is required from Seed Biotech, Inc. prior to shipping. Reimbursement, replacement, or financial credit will be given at the sole discretion of Seed Biotech, Inc. It is the responsibility of the health care institution returning the allograft to adequately prepare and identify the tissue for return shipment.

#### **TRACKING & TISSUE UTILIZATION RECORD**

Recipient records must be maintained for the purpose of tracking this allograft. Serialized allograft description labels have been provided with this allograft tissue for the use of completing patient's medical records.

A Tissue Utilization Record (TUR) labeled specifically to this allograft has been provided. Please complete in full and return the record to Seed Biotech, Inc. The TUR card should be submitted even if the allograft was discarded.

SYMBOL KEY		
Ĩ	Consult Instructions for use	
EXP or	Expiration date	
STERNIZE	Do not re-sterilize	
<sup>38°C</sup> (100°F)	Storage temperature limits	
8	Single use only. Do not reuse.	
R <sub>Xonly</sub>	Caution: Federal (USA) law restricts the use of this allograft to sale by or on the order of a licensed physician, dentist, and podiatrist.	
REF	Catalog number	
LOT	Lot number (Donor ID)	
SN	Serial number (Tissue ID)	
	Do not use if inner package is damaged.	
STERILE R	Sterile by irradiation.	
	Manufacturer	

Copyright © 2019 Seed Biotech, Inc. All Rights Reserved. Seed Biotech, Aril, Petil and their associated logos are Trademarks or Registered Trademarks of Seed Biotech, Inc.